

Fleischforschung und Entwicklung

Alternativen zur betäubungslosen Ferkelkastration

Stand der Forschung zur Verbraucherakzeptanz der Alternativen

Von Astrid Heid und Ulrich Hamm

Codewörter: Ferkelkastration | Alternativen | betäubungslose Kastration | Verbraucherakzeptanz

Literatur

1. ANNOR-FREMPONG, I.E., G.R. NUTE, F.W. WHITTINGTON und J. D. WOOD (1997a): The problem of taint in pork: 1. Detection thresholds and odour profiles of androstenone and skatole in a model system. *Meat Sci.* 46 (1), 45–55.
2. ANNOR-FREMPONG, I. E., G.R. NUTE, F.W. WHITTINGTON und J.D. WOOD (1997b): The problem of taint in pork: II. The influence of skatole, androstenone and indole, presented individually and in combination in a model lipid base, on odour perception. *Meat Sci.* 47 (1–2), 49–61.
3. BABOL, J. und E.J. SQUIRES (1995): Quality of meat from entire male pigs. *Food Research International* 28 (3), 201–212.
4. BABOL, J., E.J. SQUIRES und E.A. GULLETT (2002): Factors affecting the level of boar taint in entire male pigs as assessed by consumer sensory panel. *Meat Sci.* 61 (1), 33–40.
5. BAÑON, S., C. ANDREU, J. LAENCINA und M.D. GARRIDO (2004): Fresh and eating pork quality from entire versus castrate heavy males. *Food Quality and Preference* 15 (3), 293–300.
6. BAÑON, S., E. COSTA, M.D. GIL und M.D. GARRIDO (2003a): A comparative study of boar taint in cooked and dry-cured meat. *Meat Sci.* 63 (3), 381–388.
7. BAÑON, S., M.D. GIL und M.D. GARRIDO (2003b): The effects of castration on the eating quality of dry-cured ham. *Meat Sci.* 65 (3), 1031–1037.
8. BONNEAU, M., A.J. KEMPSTER, R. CLAUS, C. CLAUDI-MAGNUSSEN, A. DIESTRE, E. TORNBERG, P. WALSTRA, P. CHEVILLON, U. WEILER und G.L. COOK (2000a): An international study on the importance of androstenone and skatole for boar taint: I. Presentation of the programme and measurement of boar taint compounds with different analytical procedures. *Meat Sci.* 54 (3), 251–259.
9. BONNEAU, M., P. WALSTRA, C. CLAUDI-MAGNUSSEN, A.J. KEMPSTER, E. TORNBERG, K. FISCHER, A. DIESTRE, F. SIRET, P. CHEVILLON, R. CLAUS, G. DIJKSTERHUIS, P. PUNTER, K.R. MATTHEWS, H. AGERHEM, M.P. BEAGUE, M.A. OLIVER, M. GISPERT, U. WEILER, G. VON SETH, H. LEASK, M. FONT I FURNOLS, D.B. HOMER und G.L. COOK (2000b): An international study on the importance of androstenone and skatole for boar taint: IV. Simulation studies on consumer dissatisfaction with entire male pork and the effect of sorting carcasses on the slaughter line, main conclusions and recommendations. *Meat Sci.* 54 (3), 285–295.
10. BRANSCHIED, W. (2009): Ebermast: Attraktive Mast, fragwürdige Qualität. *DGS Magazin* 61 (9), 44–47.

11. CLAUS, R. (1993): Die unendliche Geschichte der Ebermast. Eine historisch-physiologische Analyse. *Fleischwirtsch.* 73 (4), 499–453.
12. DE KOCK, H. L., P.H. HEINZE, C.M. POTGIETER, G.B. DIJKSTERHUIS und A. MINNAAR (2001a): Temporal aspects related to the perception of skatole and androstenone, the major boar odour compounds. *Meat Sci.* 57 (1), 61–70.
13. DE KOCK, H. L., S.M. VAN HEERDEN, P.H. HEINZE, G.B. DIJKSTERHUIS und A. MINNAAR (2001b): Reaction to boar odour by different South African consumer groups. *Meat Sci.* 59 (4), 353–362.
14. DESMOULIN, B., M. BONNEAU, A. FROUIN und J.P. BIDARD (1982): Consumer testing of pork and processed meat from boars: The influence of fat androstenone level. *Livestock Production Sci.* 9 (6), 707–715.
15. DIESTRE, A., M.A. OLIVER, M. GISPERT, I. ARPA und J. ARNAU (1990): Consumer responses to fresh meat and meat products from barrows and boars with different levels of boar taint. *Animal Prod.* 50, 519–530.
16. DIJKSTERHUIS, G. B., B. ENGEL, P. WALSTRA, M. FONT I FURNOLS, H. AGERHEM, K. FISCHER, M.A. OLIVER, C. CLAUDI-MAGNUSSEN, F. SIRET, M.P. BEAGUE, D.B. HOMER und M. BONNEAU (2000): An international study on the importance of androstenone and skatole for boar taint: II. Sensory evaluation by trained panels in seven European countries. *Meat Sci.* 54 (3), 261–269.
17. European Food Safety Authority (2004): Welfare aspects of the castration of piglets - Opinion of the scientific Panel for Animal Health and Welfare on a request of the Commission related to welfare aspects of the castration of piglets. *The EFSA Journal* 91, 1–18.
18. FISCHER, K. und U. WEILER (1995): Aspekte der sensorischen Qualität von Eberfleisch. In: Bundesministerium für Ernährung Landwirtschaft und Forsten (Hrsg.): Die Ebermast - Fragen und Konsequenzen bei der Produktion von Schweinefleisch. Heft 449, Landwirtschaftsverlag, Münster, 46–54.
19. FONT I FURNOLS, M., M. GISPERT, A. DIESTRE und M.A. OLIVER (2003): Acceptability of boar meat by consumers depending on their age, gender, culinary habits, and sensitivity and appreciation of androstenone odour. *Meat Sci.* 64 (4), 433–440.
20. FONT I FURNOLS, M., M. GISPERT, L. GUERRERO, A. VELARDE, J. TIBAU, J. SOLER, M. HORTOS, J.A. GARCIA-REGUEIRO, J. PEREZ, P. SUAREZ und M.A. OLIVER (2008): Consumers' sensory acceptability of pork from immunocastrated male pigs. *Meat Sci.* 80 (4), 1013–1018.
21. GILBERT, A.N. und C.J. WYSOCKI (1987): The smell survey results. *National Geographic* 172, 514–525.
22. GODT, J., K. KRISTENSEN, C.S. POULSEN, H.J. JUHL und A.C. BECH (1996): Verbraucherstudie zum Thema dänische männliche, nicht kastrierte Schweine. *Fleischwirtsch.* 76 (4), 378–380.
23. GRIFFITHS, N. M. und R.L.S. PATTERSON (1970): Human olfactory responses to 5 α -androst-16-ene-3-one - principal component of boar taint. *Journal of the Sci. of Food and Agriculture* 21 (1), 4–6.
24. GULLETT, E.A., G.D. PARTLOW, K.R.S. FISHER, W.G. HALINA und E.J. SQUIRES (1993): Effect of pig sex on consumer ratings for pork chops and bacon. *Food Quality and Preference* 4 (4), 201–205.
25. HOFER, S. und T. KUPPER (2008): Alternative Methoden zur konventionellen Ferkelkastration ohne Schmerzausschaltung. Umfrage zur Akzeptanz der Impfung gegen Ebergeruch (Bericht 3). Online: www.shl.bfh.ch/fileadmin/docs/Forschung/KompetenzenTeams/NutztierUmwelt/Interaktion/ProSchwein/Synthesebericht/B14_Umfrage_zur_Akzeptanz_der_Impfung_20080331.pdf (Stand: 25.9.2009).

26. HUBER-EICHER, B. (2008): Alternative Methoden zur konventionellen Ferkelkastration ohne Schmerzausschaltung. Umfrageergebnisse der repräsentativen Imagestudie Schweizerfleisch (Bericht 2). Online: www.shl.bfh.ch/fileadmin/docs/Forschung/KompetenzenTeams/NutztierUmwelt/Interaktion/ProSchwein/Synthesebericht/B13_Umfrageergebnisse_der_repr_se ntativen_Imagestudie_20080331.pdf (Stand: 25.9.2009).
27. HUBER-EICHER, B. und P. SPRING (2008): Attitudes of Swiss consumers towards meat from entire or immunocastrated boars: A representative survey. *Research in Veterinary Sci.* 85 (3), 625–627.
28. JEREMIAH, L. E., E.J. SQUIRES und A.P. SATHER (1999): Gender and diet influences on pork palatability and consumer acceptance. II. Sex taint compounds and their relationship to sensory properties. *Journal of Muscle Foods* 10 (4), 317–331.
29. KEMPSTER, A.J., A.W. DILWORTH, D.G. EVANS und K.D. FISHER (1986): The effects of fat thickness and sex on pig meat quality with special reference to the problems associated with overleanness. 1. Butcher and consumer panel results. *Animal Production* 43, 517–533.
30. LAGERKVIST, C.J., F. CARLSSON und D. VISKE (2006): Swedish consumer preferences for animal welfare and biotech: A choice experiment. *AgBioForum* 9 (1), 51–58.
31. LESSER, D., P.J. BARON und J.D. ROBB (1977): Boar bacon: A consumer survey. *Journal of the Science of Food and Agriculture* 28 (12), 1120–1131.
32. LILJENSTOLPE, C. (2008): Evaluating animal welfare with choice experiments: An application to Swedish pig production. *Agribusiness* 24 (1), 67–84.
33. MALMFORS, B. und K. LUNDSTRÖM (1983): Consumer reactions to boar meat - A review. *Livestock Production Science* 10 (2), 187–196.
34. MATTHEWS, K.R., D.B. HOMER, P. PUNTER, M.P. BEAGUE, M. GISPERT, A.J. KEMPSTER, H. AGERHEM, C. CLAUDI-MAGNUSSEN, K. FISCHER, F. SIRET, H. LEASK, M. FONT I FURNOLS und M. BONNEAU (2000): An international study on the importance of androstenone and skatole for boar taint: III. Consumer survey in seven European countries. *Meat Sci.* 54 (3), 271–283.
35. NOLD, R. A., J.R. ROMANS, W.J. COSTELLO, J.A. HENSON und G.W. LIBAL (1997): Sensory characteristics and carcass traits of boars, barrows, and gilts fed high- or adequate-protein diets and slaughtered at 100 or 110 kilograms. *Journal of Animal Sci.* 75 (10), 2641–2651.
36. PEARSON, A. M., S. NGODDY, J.F. PRICE und H.E. LARZELERE (1971): Panel acceptability of products containing boar meat. *Journal of Animal Science* 33 (1), 26–29.
37. PRUNIER, A., M. BONNEAU, E.H. VON BORELL, S. CINOTTI, M. GUNN, B. FREDRIKSEN, M. GIERSING, D.B. MORTON, F.A.M. TUYTTENS und A. VELARDE (2006): A review of the welfare consequences of surgical castration in piglets and the evaluation of non-surgical methods. *Animal Welfare* 15 (3), 277–289.
38. RHODES, D. N. (1971): Consumer testing of bacon from boar and gilt pigs. *Journal of the Science of Food and Agriculture* 22 (9), 485–490.
39. RHODES, D. N. (1972): Consumer testing of pork from boar and gilt pigs. *Journal of the Science of Food and Agriculture* 23 (12), 1483–1491.
40. SMITH, W. C., M. ELLIS, J.B.K. CLARK und N. INNES (1983): A comparison of boars, gilts and castrates for bacon manufacture. 3. Consumer reaction to bacon from boars and castrates and an economic evaluation of a non-castration policy for bacon manufacture. *Animal Production* 37, 17–23.
41. TNS Opinion & Social (2005): Attitudes of consumers towards the welfare of farmed animals. *Special Eurobarometer* 229 (Wave 63.2).

42. TNS Opinion & Social (2007): Attitudes of EU citizens towards animal welfare. Special Eurobarometer 270 (Wave 66.1).
43. VON BORELL, E., M. OLIVER, B. FREDRIKSEN, S. EDWARDS und M. BONNEAU (2008): Standpunkte, Praktiken und Kenntnisstand zur Ferkelkastration in Europa (PIGCAS) – Projektziele und erste Ergebnisse. *Journal für Verbraucherschutz und Lebensmittelsicherheit* 3 (2), 216–220.
44. WALSTRA, P. (1974): Fattening of young boars: Quantification of negative and positive aspects. *Livestock Production Science* 1, 187–196.
45. WALSTRA, P., C. CLAUDI-MAGNUSSEN, P. CHEVILLON, G. VON SETH, A. DIESTRE, K.R. MATTHEWS, D.B. HOMER und M. BONNEAU (1999): An international study on the importance of androstenone and skatole for boar taint: Levels of androstenone and skatole by country and season. *Livestock Production Science* 62 (1), 15–28.
46. WALSTRA, P. und P.C. MOERMAN (1981): Ist es gerechtfertigt, Eber zu mästen, und was sind die Perspektiven? *Der Tierzüchter* 33 (11), 465–467.
47. WEILER, U., K. FISCHER, H. KEMMER, A. DOBROWOLSKI und R. CLAUS (1997): Influence of androstenone sensitivity on consumer reactions to boar meat. In: Bonneau, M., Lundström, K. und Malmfors, B. (Hrsg.): Boar taint in entire male pigs. Proceedings of a meeting of the EAAP working group "Production and utilisation of meat from entire male pigs". EAAP Publication 92, Stockholm, Schweden, (01.–03.10.1997), 147–151.
48. WEILER, U., M. FONT I FURNOLS, K. FISCHER, H. KEMMER, M.A. OLIVER, M. GISPERT, A. DOBROWOLSKI und R. CLAUS (2000): Influence of differences in sensitivity of Spanish and German consumers to perceive androstenone on the acceptance of boar meat differing in skatole and androstenone concentrations. *Meat Sci.* 54 (3), 297–304.
49. WYSOCKI, C. J. und G.K. BEAUCHAMP (1984): Ability to smell androstenone is genetically determined. *Proceedings of the National Academy of Sciences of the United States of America* 81 (15), 4899–4902.
50. WYSOCKI, C. J., K.M. DORRIES und G.K. BEAUCHAMP (1989): Ability to perceive androstenone can be acquired by ostensibly anosmic people. *Proceedings of the National Academy of Sciences of the United States of America* 86 (20), 7976–7978.

Anschrift der Verfasser

Astrid Heid und Prof. Dr. Ulrich Hamm, Universität Kassel, Fachgebiet Agrar- und Lebensmittelmarketing, Steinstraße 19, 37213 Witzenhausen, a.heid@uni-kassel.de, hamm@uni-kassel.de